

Notice of Allowability	Application No.	Applicant(s)
	10/749,655	PITZ, JEANNE KRAYER
	Examiner	Art Unit
	Patricia T. Nguyen	2817
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>amendmnet filed 2/6/06</u> .		
2. The allowed claim(s) is/are 4;5,14,19,23 and 25-27.		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Da 08), 7. ☐ Examiner's Amendr	te

DETAILED ACTION

Allowable Subject Matter

Claims 4, 5, 14, 19, 23, and 25-27 are allowed.

The following is an examiner's statement of reasons for allowance: prior art does not teach nor render obvious a system for signal processing that has, in combination with other limitations, a scaling component that scales the digital representation of the first amplified analog signal to a first scale and scales the digital representation of the second signal to a second scale, the compensation system converting at least one of the digital representation of the first amplified analog signal and the digital representation of the second signal to a scale that is compatible with the first and second scales; nor does it have the digital representation of the amplified signal is scaled to a first scale and the digital representation of a temperature is scaled to a second scale, the processor converting at least one of the digital representation of the first amplified analog signal and the digital representation of the temperature to a compatible scale; nor does it have a method for compensation for error in an analog amplifier that has the step of scaling the temperature compensation factor to match the scale of the offset adjustment; nor the does it have a method for compensation for error in an analog amplifier that has the step of storing the temperature compensation factor in a first register, and storing the offset adjustment in a second register.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably 'Application/Control Number: 10/749,655

Art Unit: 2817

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Page 3

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Patricia T. Nguyen whose telephone number is (703)

308-1927. The examiner can normally be reached on 6:30 AM - 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Robert Pascal can be reached on 703-309-4940. The fax phone number for

the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

PTN

March 4, 2006

PATRICIA NGUYEN
PRIMARY EXAMINER

Patricia Ngrym